Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	164	(313/625).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/08/31 10:15
S2	145	((313/625).CCLS.) and lamp	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/01/15 15:09
S3	130	((313/625).CCLS.) and lamp	USPAT	OR	ON	2003/01/15 15:27
S4	44	(((313/625).CCLS.) and lamp) and (adjust$4 adapt$4 conform$4)	USPAT	OR	ON	2003/01/15 15:58
S5	86	(((313/625).CCLS.) and lamp) not ((((313/625).CCLS.) and lamp) and (adjust$4 adapt$4 conform$4))	USPAT	OR	ON	2003/01/15 15:58
S6	239	(313/574).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/08/26 09:01
S7	74	((313/574).CCLS.) and lamp	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/01/15 18:24
S8	1	"5939829".URPN.	USPAT	OR	ON	2003/01/15 17:09
S9	37	("1842215" \| "2087735" \| "2549355" \| "2812465" \| "2847605" \| "2941107" \| "3196043" \| "3304456" \| "3383541" \| "3390297" \| "3505553" \| "3515932" \| "3662214" \| "3875629" \| "3879830" \| "3906271" \| "3969279" \| "4093893" \| "4352117" \| "4395770" \| "4461970" \| "4506284" \| "4523125" \| "4553063" \| "4574216" \| "4698546" \| "4717855" \| "4795942" \| "4825446" \| "4853754" \| "5043627" \| "5063324" \| "5185556" \| "5331249" \| "5343115" \| "5359257" \| "5408160").PN.	USPAT	OR	ON	2003/01/15 17:09
S10	5	"5331249".URPN.	USPAT	OR	ON	2003/01/15 17:21
S11	3	("3270232" \| "4475055" \| "4493003").PN.	USPAT	OR	ON	2003/01/15 17:21

S12	22	((313/574).CCLS.) and plate	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/01/15 18:24
S13	9	(((313/574).CCLS.) and plate) not (((313/574).CCLS.) and lamp)	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/01/15 18:25
S14	2	("6067003").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2003/01/16 10:20
S15	0	"6067003".URPN.	USPAT	OR	ON	2003/01/16 10:32
S16	6	("4727350" \| "4912592" \| "5029302" \| "5663864" \| "5694284" \| "5745330").PN.	USPAT	OR	ON	2003/01/16 10:32
S17	25	(313/623,625,574).ccls. and (@pd > "20030100")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/08/26 09:01
S18	10	("3956655" \| "4020379" \| "5057742" \| "5552669" \| "5619101" \| "5633563" \| "5959301" \| "6339279" \| "6339280" \| "6380663").PN.	USPAT	OR	ON	2003/06/11 16:35
S19	2	("6259838").PN.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/02/02 10:08
S20	968	(313/491,631).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/08/26 09:01
S21	41	((313/491,631).CCLS.) and concave	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/06/12 09:08
S22	1410	"313"/$.ccls. and (filament same (pinch press))	USOCR	OR	ON	2003/06/12 09:10
S23	968	(313/491,631).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2003/06/13 09:50

S24	173	((313/491,631).CCLS.) and (electrode same (hole hollow concave))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/06/13 09:54
S25	968	(313/491,631).ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/06/13 14:57
S26	126	((313/491,631).ccls.) and (electrode same (hollow concave cup))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2003/06/13 15:00
S27	8	(("5880559") or ("5061877") or ("4553063") or ("3908252") or ("3906271") or ("4104693") or ("6259205") or ("5331249")).PN.	USPAT; USOCR	OR	OFF	2003/06/16 10:56
S28	3	(("3114855") or ("5751111") or ("6157130")).PN.	USPAT; USOCR	OR	OFF	2004/01/30 16:04
S29	0	"3114855".URPN.	USPAT	OR	ON	2004/01/30 16:08
S30	1991	(313/623,625,574,491,631).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2004/02/02 10:09
S31	2156	(313/623,625,631,632,574,491). CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/08/26 09:01
S32	680	((313/623,625,631,632,574,491). CCLS.) and ((electrode anode cathode) same (concave hole receptacle hole reservoir hold bowl receptable cavity vessel dimple pore pit pocket depression))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2004/07/09 09:21
S33	582	((313/623,625,631,632,574,491). CCLS.) and ((electrode anode cathode) with (concave hole receptacle hole reservoir hold bowl receptable cavity vessel dimple pore pit pocket depression))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2004/02/02 10:19
S34	280	((313/623,625,631,632,574,491). CCLS.) and ((electrode anode cathode) near2 (concave hole receptacle hole reservoir hold bowl receptable cavity vessel dimple pore pit pocket depression))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2004/02/02 10:19

S35	248	((313/623,625,631,632,574,491).CCLS.) and ((electrode anode cathode) near2 (concave hole receptacle hole reservoir hold bowl receptable vessel dimple pore pit pocket depression))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2004/02/02 10:20
S36	214	((313/623,625,631,632,574,491).CCLS.) and ((electrode anode cathode) near2 (concave hole receptacle hole reservoir hold bowl receptable vessel dimple pore pit pocket depression))	USPAT	OR	ON	2004/02/02 10:23
S37	183	((313/623,625,631,632,574,491).CCLS.) and ((electrode anode cathode) near2 (concave hole receptacle hole reservoir bowl receptable vessel dimple pore pit pocket depression))	USPAT	OR	ON	2004/02/02 11:27
S38	2	("5233268" \| "6049164").PN.	USPAT	OR	ON	2004/02/02 11:03
S39	2	(("6259205") or ("3916241")).PN.	USPAT; USOCR	OR	OFF	2004/02/02 11:27
S40	18	((313/623,625,631,632,574,491).CCLS.) and ((electrode anode cathode) same (concave hole receptacle hole reservoir hold bowl receptable cavity vessel dimple pore pit pocket depression)) and (@pd>"20040301")	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/08/03 11:21
S46	1	("5751111").PN.	USPAT	OR	OFF	2005/03/19 16:16
S47	0	("2002/0195941").URPN.	USPAT	OR	ON	2005/03/19 16:31
S48	2860	(313/623,625,631,632,574,491).CCLS.	US-PGPUB; USPAT; USOCR; JPO; DERWENT	OR	OFF	2005/03/19 17:25
S49	119	S48 and (electrode anode cahtode) same (heat shrink) near4 (seal$3 fix$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 17:41
S50	2	jp-05217555-$.did.	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 17:32
S51	1	1993-306348.NRAN.	DERWENT	OR	ON	2005/03/19 17:33
S52	1	1993-306348.NRAN.	DERWENT	OR	ON	2005/03/19 17:33

S53	0	S48 and (electrode anode cahtode) same (heat shrink) near4 (seal$3 fix$3) with dumet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:04
S54	0	S48 and (electrode anode cahtode) same (heat shrink) near4 (seal$3 fix$3) same dumet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 17:41
S55	0	S48 and (electrode anode cahtode) same (heat shrink) with (seal$3 fix$3) same dumet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 17:42
S56	9	313$.ccls. and (electrode anode cahtode) same (heat shrink) with (seal$3 fix$3) same dumet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 18:02
S57	12	313$.ccls. and (electrode anode cathode) same (heat shrink) with (seal$3 fix$3) same dumet	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 18:08
S58	1	("20020195941").PN.	US-PGPUB	OR	OFF	2005/03/19 18:08
S59	0	("2002/0195941").URPN.	USPAT	OR	ON	2005/03/19 18:10
S60	21	(US-20020195941-$).did. or (US-3697797-$ or US-3906271-$ or US-3908252-$ or US-3916241-$ or US-4001625-$ or US-4104693-$ or US-4527097-$ or US-4553063-$ or US-4765820-$ or US-5061877-$ or US-5331249-$ or US-5424608-$ or US-5880559-$ or US-5973453-$ or US-6067003-$ or US-6172453-$ or US-6215247-$ or US-6259205-$ or US-5751111-$ or US-5001391-$).did.	US-PGPUB; USPAT	OR	ON	2005/03/19 18:14
S61	64	macchiarolo.xa.	US-PGPUB; USPAT	OR	ON	2005/03/19 19:40
S62	6	S61 and plasma same method	US-PGPUB; USPAT	OR	ON	2005/03/19 19:41

S63	10	S48 and (vertical upright) same (evaporat$3) same (electrode anode cathode)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 20:05
S65	68	S48 and (vertical upright) same ((envelope housing shroud cover)) same (electrode anode cathode)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/19 20:22
S66	3	("5880559").URPN.	USPAT	OR	ON	2005/03/19 21:02
S67	880	((313/623,625,631,632,574,491, 326).CCLS.) and ((electrode anode cathode) same (concave hole receptacle hole reservoir hold bowl receptable cavity vessel dimple pore pit pocket depression))	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/08/03 11:23
S68	0	445/9,17,33,67	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/08/03 12:01
S69	809	445/9,17,33,67.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/08/03 11:32
S70	3	S69 and S67	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2005/08/03 11:32
S71	2	("4542319").URPN.	USPAT	OR	ON	2005/08/03 11:33
S72	80	(445/17).CCLS.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/08/26 08:52
S73	0	("6739928").URPN.	USPAT	OR	ON	2005/08/03 12:16
S74	11	("3686422" \| "3878034" \| "3895709" \| "3913999" \| "4056750" \| "5311830" \| "5374871" \| "5604396" \| "5766091" \| "5828169" \| "6285126").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/03 12:16
S75	87	(445/17).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 08:52
S76	2523	(313/623,625,631,632,574,491,). CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 10:42

S77	451	(313/623,625,631,632,574,491,). CCLS.	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/26 10:41
S78	26	method with lamp and (electrode anode cahtode) same (heat shrink) with (seal$3 fix$3) same (evaporat$3)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 09:13
S79	0	S77 and (electrode cathode anode) with (bowl concave hole receptacle reservoir hold receptable cavity vessel dimple pore pit pocket depression)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/26 10:12
S80	319	method with lamp and (electrode cathode anode) with (bowl concave hole receptacle reservoir hold receptable cavity vessel dimple pore pit pocket depression) and (heat shrink) with (seal$3 fix$3)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/31 10:15
S81	49	S76 and S80	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/26 09:47
S82	0	445/9,29,67,72	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/26 10:04
S83	795	(445/9,29,67,72).CCLS.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2005/08/26 10:04
S84	82	S83 and (electrode cathode anode) with (bowl concave hole receptacle reservoir hold receptable cavity vessel dimple pore pit pocket depression)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/26 10:13
S85	4	("5757129").URPN.	USPAT	OR	ON	2005/08/26 10:21
S86	236	(313/490).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 10:41
S87	2745	(313/623,625,631,632,574,491, 490).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/26 10:42
S88	95	S87 and (heat$3 temperature) with (seal$3 shrink fix$3) same (evaporat$3 amalgam)	US-PGPUB; USPAT; USOCR; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/26 10:45

S89	105	(S87 S83) and (heat$3 temperature) with (seal$3 shrink fix$3) same (evaporat$3 amalgam)	US-PGPUB; USPAT; USOCR	OR	ON	2005/08/26 10:45
S90	8	method with lamp and (electrode cathode anode) with (bowl concave hole receptacle reservoir hold receptable cavity vessel dimple pore pit pocket depression) and (heat shrink) with (seal$3 fix$3)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/31 10:15